

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	617	((digital adj signal) with (high near2 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:27
S2	0	S1 and curve adj tabel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:27
S3	3	S1 and curve adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:28
S4	251	S1 and (low near2 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:28
S5	3	S4 and curve adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:29
S6	19	S4 and ((look near2 up) near4 (table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/21 16:30
S7	255558	digital adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:20
S8	15751	S7 and ((high adj1 bit) or (msb) or (most adj significant adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:05
S9	19475	S7 and ((high adj1 bit) or (msb) or (most adj significant adj bit) or (high adj order))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:06

S10	10190	S9 and ((low adj1 bit) or (lsb) or (least adj significant adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:32
S11	29	S10 and curve near2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:38
S12	4	S11 and slope adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:40
S13	53	S10 and ((transformation or curve) near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:39
S14	4	S13 and slope adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:40
S15	3488	S10 and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:42
S16	3488	S10 and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:43
S17	1154	S16 and ((look adj1 up) near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:43
S18	381	S17 and curve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:43
S19	137	S18 and slope	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:58

S20	74	S19 and scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:34
S21	193464	scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:34
S22	99008	S21 and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:34
S23	3477	S22 and ((high near2 bit\$1) or (msb) or (most adj1 significant adj1 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:50
S24	2243	S23 and ((low near2 bit\$1) or (lsb) or (least adj1 significant adj1 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:52
S25	867	S24 and ((lookup or look-up or look adj1 up) near2 (table or chart))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:38
S26	374	S25 and curve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:38
S27	165	S26 and slope	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:40
S28	147	S27 and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:40
S29	147	S28 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:40

S30	4	S22 and ((high near2 bit\$1) or (msb) or (most adj1 significant adj1 bit)) with (curve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:51
S31	20	S22 and ((high near2 bit\$1) or (msb) or (most adj1 significant adj1 bit)) same (curve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:52
S32	6	S31 and ((high near2 bit\$1) or (msb) or (most adj1 significant adj1 bit)) same (slope)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:52
S33	6	S32 and ((low near2 bit\$1) or (lsb) or (least adj1 significant adj1 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:24
S34	91723	((low\$4 near2 bit\$1) or (lsb) or (least adj1 significant adj1 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:25
S35	79393	S34 and (comb\$5 or synthes\$5 or add\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:33
S36	87787	((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:29
S37	31024	S36 and (lut or ((lookup or look-up or look adj1 up) near2 table) or map\$5 or curve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:32
S38	3710	S37 and (slope)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:33
S39	2348	S35 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:33

S40	3641	S38 and (comb\$5 or synthes\$5 or add\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:34
S41	2348	S35 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:34
S42	2010	S41 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:39
S43	511	high same low same lut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:40
S44	34	S43 same curve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 14:40
S45	193464	scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:48
S46	199915	imag\$3 near2 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:49
S47	105324	S46 and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:49
S48	120	S47 and (((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit)) with (lut) or ((look adj1 up) near2 table) with (curve) and (slope))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:58
S49	35	S48 and (((low\$4 near2 bit) or (lsb) or (least adj1 significant adj1 bit)) same (combin\$4 or synthes\$4 or add\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:07

S50	199915	imag\$3 near2 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 19:39
S51	105324	S50 and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 19:39
S52	35	S51 and (((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit)) with (lut) or ((look adj1 up) near2 table) with (curve) and (slope)) same (comb\$5 or add\$5 or synthes\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 16:28
S53	24	S52 and (((low\$4 near2 bit) or (lsb) or (least adj1 significant adj1 bit)) same (combin\$4 or synthes\$4 or add\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:59
S54	0	"10265227".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 15:43
S55	2	"10265227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 15:44
S56	6017	chiu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 15:44
S57	5	S56 and msb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 15:44
S58	200066	imag\$3 near2 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 16:28
S59	105434	S58 and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 16:28

S60	2	S59 and (((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit)) with (lut) or ((look adj1 up) near2 table) with (curve) and (slope)) same (comb\$5 or add\$5 or synthes\$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 16:28
S61	4	(((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit)) with (lut) or ((look adj1 up) near2 table) with (curve) and (slope)) same (comb\$5 or add\$5 or synthes\$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 16:30
S62	2691	(curve near2 (table or chart))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:41
S63	12	S62 same (slope near2 (table or chart))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:52
S64	2754	qiu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:52
S65	120	S64 and curve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:52
S66	21	S65 and slope	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 17:59
S67	3	1394077A	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 18:00
S68	984	(((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit)) with (lut) or ((look adj1 up) near2 table) same (curve) and (slope))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 20:14
S69	130	S68 and (((low\$4 near2 bit) or (lsb) or (least adj1 significant adj1 bit)) same (combin\$4 or synthes\$4 or add\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:08

S70	214	S68 and (((low\$4 near2 bit) or (lsb) or (least adj1 significant adj1 bit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:08
S71	40	S70 and (image adj (scan\$4 or read\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:10
S72	5	(((high\$4 near2 bit\$1) or (msb) or (most adj significant adj bit)) same (curve near2 (table or chart)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 14:48
S73	3	(((high\$4 near2 bit\$1) or (msb) or (most adj significant adj bit)) with (curve near2 (table or chart)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 14:49
S74	145	(((high\$4 near2 bit\$1) or (msb) or (most adj significant adj bit)) and (curve near2 (table or chart)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 14:49
S75	8	S74 and (((low\$4 near2 bit\$1) or (lsb) or (least adj significant adj bit)) and (slope near2 (table or chart)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 14:53
S76	4	S74 and (((low\$4 near2 bit\$1) or (lsb) or (least adj significant adj bit)) with (slope near2 (table or chart)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 20:18
S77	88393	((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:59
S78	50323	S77 and ((low\$4 near2 bit) or (lsb) or (least adj1 significant adj1 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:00
S79	9714	S78 and ((reduc\$4 or consum\$4 or preserv\$5 or save\$1 or saving) near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:04

S80	137	S78 and ((reduc\$4 or consum\$4 or preserv\$5 or save\$1 or saving) near6 memory) near10 (slope or curve or lut or ((look adj1 up) near2 (table or chart)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:47
S81	11559	((image adj (read\$3 or scan\$4)) or (scanning or scanner)) same (digital adj1 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:09
S82	2	S80 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:09
S83	47	S80 and curve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:48
S84	16	((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit)) same ((lut) or ((look adj1 up) near2 table)) with (curve) and (slope)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:58
S85	16	S84 and ((low\$4 near2 bit) or (lsb) or (least adj1 significant adj1 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:00
S86	0	"4482975.pn.l"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:54
S87	0	"4482975.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:54
S88	2	"4482975".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:54
S89	2	"6266103".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:54

S90	195300	scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 20:13
S91	4434	S90 and (((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 20:14
S92	37	S90 and (((high\$4 near2 bit) or (msb) or (most adj1 significant adj1 bit)) same (slope))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 20:15
S93	28	S92 and curve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 20:15
S94	13	S93 and ((low\$4 near2 bit\$1) or (lsb) or (least adj significant adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 20:32
S95	1	S94 and gamma adj1 curve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 20:33
S96	511	(((high or (most near2 significant)) near2 bit) same curve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:26
S97	44	S96 and (((low or (least near2 significant)) near2 bit) same slope)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:26
S98	478	(((high or (most near2 significant)) near2 bit) same slope)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:26
S99	79	S96 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:26